

LIFTX

S



www.liftx.com.tr

S



Compact yet powerful

This compact electric tow tug is a true powerhouse in a small package. With its modest size and a towing capacity of 1,300 kg, it's ideal for moving roll containers, trolleys and other wheeled carts. It's powerful, yet silent: the perfect fit for work areas where it's already noisy enough.


Flexible and reliable


The S is fitted with two powerful electric motors and an adjustable coupling, with an optional hydraulic coupling available. This guarantees maximum flexibility, whatever the load. And thanks to its low-maintenance lithium battery, the S lets you get the job done with peace of mind and without interruption.

Maximum performance, minimal effort

Looking for a compact, efficient and quiet workhorse? TheS is your answer. Whether used in a warehouse, factory, or distribution centre, it delivers maximum performance with minimal effort. It moves heavy loads with ease, making your working day that much lighter.








VMON11152

Standard coupling




VMON11156

Hydraulic coupling model 1



VMON11159

Hydraulic coupling model 2



VMON08716

Hydraulic Danish trolley coupling

S	
Maximum towing capacity	1,300 kg (≈ 2,866 lbs)
Maximum tractive force	1,100 N
Voltage	24 V
Drive system	Dual drive
Motor	2 × 300 W DC
Brake system	Regenerative
Parking brake	Electromagnetic
Horn	Yes
Battery indicator	Yes
Forward speed	5 km/h (≈ 3.1 mph)
Reverse speed	5 km/h (≈ 3.1 mph)
Standard drive wheels	Solid rubber
Steering wheel	x
Machine weight including battery	80 kg incl. batteries (≈ 176 lbs)
Maximum permissible counterweight	x
Standard battery	24 V 36 Ah lithium iron phosphate
Battery charger	Internal 230 V 11 A



www.liftx.com.tr

LIFTX